Product Details

Quick Details

Condition: New Capacity (Load): 1 - 10t Drive Wheel: 4x2

Horsepower: 150 - 250hp Transmission Type: Manual Emission Standard: Euro 4

Fuel Type: Diesel Engine Capacity: < 4L Size mm 7995x2330x2620

Product Display







Technical Parameter

Load Parameters					
G. V. W.	(kg)	9200			
Curb weig	ght, toal (kg)	4015			
Loading o	apacity (kg)	4990			
Drive form		4x2			
Max. spee	ed KM/h	99KM/h			
Front axle capacity(KG)		3500			
Rear axle capacity (KG)		5700			
Leaf spring		11/13+8			
Appr/Dep.:(°)		25.5/11			
Dimension Parameters					
Dimension(mm) (L*W*H)		7995X2330X2620			
Cargo box Dimension(L*W*H)		6150X2150X550			
Wheel base(mm)		4400			
Wheel trace(mm)		1835, 1640			
Configuration Parameters					
Cabin	Cabin type	Single			
	Seating capacity	3			
Engine	Brand&Model	DONGFENG CUMMINS ISB3.9-160E40A			
	Max. horsepower	160hp			
	Max. power	116KW/1500RPM			
	Max.output torque	510N·m			
	Displacment(ml)	3900			
	Combustion types	Diesel			

Our Company & Factory

Brief Introduction:

Miou is located in Shiyan, Hubei province, China.Our company is specialized in R & D,manufacture and sales of special purpose vehicles .We are the special purpose vehicles production base company of the Chinese Dongfeng Motor Group and also the Overseas Department of Dongfeng Zhengmeng Special Purpose Vehicle Co., Ltd.

Company Display:



Factory Display:



Verified Certificates



Package & Shipment

Packing: nude, covered with wax, small type can be put into 20'GP or 40'GP, big type can be carried by bulk carriers or ro-ro ship or according to your requirements

Delivery date: 15 days



We provide you sincerely service if you have interest, contact us now!

Remarks:

The above information is just for your reference. We can manufacture the trucks as per your request and we can fulfill all your demands.

Should you have any other questions or need any other information, pls feel free to contact me. It would be my great pleasure to be on your service. Pls check my contact information as following:

