

Product Details

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX:	XXXX	XXXXXXXXXXXXXXXXXX:	XXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX:	XXXX 4
XXXXXXXXXXXXXXXXXXXX:	XXXXXX	XXXX (XXX × XXXXX × XXX) (XX):	8680x2495x3300	XXXXXXXXXXXXXXXXXXXXXXXXXXXX:	15600
XXXXXXXXXXXXXXXXXXXX:	XXXXXXXXXXXXXXXXXXXX (XXXXXXXXXX XXXX)	XXXXXXXXXXXXXXXXXX:	JAC	XXXXXXXXXXXXXXXXXX:	HFC5161TPBP3K1A47F

Product Display





Technical Parameter

制冷剂	制冷剂	制冷剂	
制冷剂品牌	/	HFC1166K1R1ZF	
制冷剂	制冷剂	184	
GVW	制冷剂	Appro * 15600	
制冷剂品牌		Appro * 7305	
制冷剂品牌		Appro * 8100	
制冷剂		4700	
F / R 制冷剂	制冷剂	1530/2450	
F / R 制冷剂		1830/1810	
制冷剂 / 制冷剂		12/18	
制冷剂 / 制冷剂	制冷剂 / 制冷剂	6740/135	
制冷剂	制冷剂 / 制冷剂	98	
制冷剂	9.00-20 16PR	制冷剂 制冷剂	CA6DF4-18E4
制冷剂	6	制冷剂	2
制冷剂	制冷剂	制冷剂	3
制冷剂	FAW 制冷剂		
制冷剂	10-15 制冷剂		

Our Company & Factory

制冷剂 :

Miou 制冷剂 Shiyang, 制冷剂, 制冷剂 R & amp; D, 制冷剂
 制冷剂
 制冷剂 Dongfeng Motor 制冷剂 Dongfeng Zhengmeng 制冷剂

制冷剂 :



□□□□□□□□□□□□□□□□:



Verified Certificates



Package & Shipment

包装形式: 20'GP 40'GP RO-RO
包装数量: 15 件



Contact us

Hubei Miou Special Purpose Vehicle Technology Co.,Ltd

Manager: Janice

Email: chinatruck@chinasonglin.cn

Skype: [694604857@qq.com](https://www.skype.com/people/694604857)

Mob: +86-18772959567

Tel: 86-0719-8319942